



CHARGING LOCKERS



PC-210

Schools, colleges and universities generally contain much IT equipment, and as the premises are used by many people, safe storage is of prime importance. The equipment must, however, be ready for use at all times. Blika has therefore designed a storage locker with battery charging facilities for laptop computers and other mobile electronic equipment. Built-in power sockets allow the equipment to be charged during storage. An intelligent storage system, which can be used to store equipment owned by the school or college or by the pupils and students themselves.

Each box contains power sockets that meets the latest requirements and there is plenty of room for laptop computer, mobile phone, tablet and a small bag. The reinforced single-walled doors are equipped with sturdy door stops. Lockers are available with flat or sloping tops and can be equipped with a variety of locks.


Charging Lockers

with power outlets in each box



Cabinet height with closed plinth: Flat top 1860 mm and sloping top 2060 mm. Depth 550 mm.


Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	190 x 330	190 x 330	190 x 330
Type PC flat top	PC-18	PC-28	PC-38
Type PCS sloping top	PCS-18	PCS-28	PCS-38



Cabinet height with closed plinth: Flat top 1600 mm and sloping top 1800 mm. Depth 550 mm.

Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	127 x 330	127 x 330	127 x 330
Type PC flat top	PC-110	PC-210	PC-310
Type PCS sloping top	PCS-110	PCS-210	PCS-310

Available without power outlets and in depth 400 mm.



Cabinet height with closed plinth: Flat top 1860 mm and sloping top 2060 mm. Depth 550 mm.

Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	105 x 330	105 x 330	105 x 330
Type PC flat top	PC-114	PC-214	PC-314
Type PCS sloping top	PCS-114	PCS-214	PCS-314






Standard equipment and accessories

■ Standard ○ Accessories

	Charging lockers	G/GS	GD/GDS	GDT/GDTS	GB/GBS	GBF/GBFS	EBF/EBFS	GZ/GZS	RS/RSS	ST/STS	PF	MB	VISION	Golf lockers
 Straight top	■	■ (G)	■ (GD)	■ (GDT)	■ (GB)	■ (GBF)	■ (EBF)	■ (GZ)	■ (RS)	■ (ST)	■	■	■	■
 Sloping top 20% slope - 200 mm higher rear edge	○	■ (GS)	■ (GDS)	■ (GDTS)	■ (GBS)	■ (GBFS)	■ (EBFS)	■ (GZS)	■ (RSS)	■ (STS)	○			
 Without legs	■	■	■	■	■	■	■	■	■	■	■	■	■	■
 Plate legs H: 120 mm	○	○	○	○	○	○	○	○	○	○	○			
 Galvanized Closed plinth H: 120 mm	○	○	○	○	○	○	○	○	○	○	○		○	
 Pipe plinth H: 350 mm	○	○	○	○	○	○	○	○	○	○				
 Pipe plinth w/ bench H: 350 mm, Bench D: 300 mm	○	○	○	○	○	○	○	○	○	○				
 Wall hanging	○	○	○	○	○	○	○	○	○	○		■	○	○
 Wall hanging with bench D: 300 mm	○	○	○	○	○	○	○	○	○	○				
 Padlock	■	■	■	■	■	■	■	■	○	○	○	■○	■	■○
 Cylinder locks	○	○	○	○	○	○	○	○	■	■	■	■○	○	■○
 Currency / Deposit-payment lock	○	○	○		○	○	○	○					○	
 Manual code locks	○	○	○	○	○	○	○	○	○	○	○	○	○	
 Electronic code locks	○	○	○	○	○	○	○	○	○	○	○		○	○
 Single plate door	■	○	■○	■	■○	○		○	■		■	■○		■
 Double plate door	○	■	■○		■○	■	■	■		■		■○		



	Charging lockers	G/GS	GD/GDS	GDT/GDTS	GB/GBS	GBF/GBFS	EBF/EBFS	GZ/GZS	RS/RSS	ST/STS	PF	MB	VISION	Golf lockers
	Veneer / laminates / painted MDF doors	○	○	○		○		○				○	■	
	Acrylic doors				○	○								
	Sound proofed doors		○	○		○								
	Protect against vandalism						■							
	Letter slot H: 30 mm, W: 214/314 mm	○	○	○	○	○			○		■			
	Door stop	■	■	■	■	■	■	■		■	■			■
	Hanging rail with 2 double hooks		■	■	■	○	○	○	■				■	○
	Towel hook		■	■	■				■					■
	Shelves 1/1		○	○	■	○	○	○					○	○
	Shelves 3/4		■	○	■	○	○	○					■	○
	Divider		○	○	○								○	
	Bookshelf				○	○	○						○	○
	Galvanized shoe shelf		○	○	○									
	Power outlet	■	○	○	○		○	○						
	Thermal ventilation*	■	■ (G/GS)	■ (GD/GDS)	■ (GDT/GDTS)	■ (GB/GBS)	■ (GBF/GBFS)	■ (EBF/EBFS)	■ (GZ/GZS)	■ (RS/RSS)	■ (ST)	■		■
	Mechanical ventilation	○	■ (GS)	■ (GDS)	■ (GDTS)	■ (GBS)	■ (GBFS)	■ (EBFS)	■ (GZS)	■ (RSS)	■ (STS)	○		



Standard colours



RAL 7035
Light grey



RAL 5017
Traffic blue

Stocked colors (additional price)



RAL 9010
Pure white



RAL 1015
Light ivory



RAL 7036
Platinum
grey



RAL 7024
Graphite
grey



RAL 9005
Jet black



RAL 1004
Golden
yellow



RAL 3003
Ruby red



RAL 3020
Traffic red



RAL 5001
Green blue



RAL 6025
Fern green

Stocked laminate colors (additional price)



W 450



ARAP 138



F 2296



406 Lucida



F 6466



F 7961



F 2770



F 6467



879 Lucida



F 6468



K 1834



F 7853



F 7884



F 1485



K 1238



K 3210


Other door variants, such as compact laminate, can be produced on request. It is possible to choose any other RAL or NCS colors at an additional price.

Abbreviations and dimensions

H: = Height, W: = Width, D. = Depth,
mm = millimeter, Ø. = diameter.

Unless otherwise specified, all dimensions are in mm.

Reservations are made for printing/typing errors, obsolete items and deviations in product photos or specifications.



Model GDTS (sloping top) is 2 cm lower on the back edge and 5 cm less deep than GS.



EU Overensstemmelseserklæring
 EC Declaration of Conformity
 EG Konformitätserklärung
 Déclaration de Conformité
 Försäkran om överensstämmelse
 EF-samsvarserklæringen
 Declaración de concordancia con la UE
 EY Vaatimustenmukaisuusvakuutus



Blika A/S

Spangsbjerg Møllevej 100 . 6705 Esbjerg Ø . Denmark

Phone: +45 79 14 21 22 . Fax : +45 75 14 01 02 . www.blika.dk . E-mail: mail@blika.dk

DK	GB	N	SE
Blika A/S erklærer hermed, at de nævnte produkter er i overensstemmelse med retningslinjerne i nedenstående direktiv.	With this we declare that the products listed conform with the relevant requirements of the directive mentioned below.	Blika A / S annonsert sjon har fastslått at produktene er i samsvar med retningslinjene i nevnte direktiv.	Med detta deklarerar vi att de produkter som anges överensstämmer med tillämpliga krav i direktivet som nämns nedan.
Direktiver	Directives	Direktiver	Direktiver
<p>Lavspændingsdirektivet (Produktene er fremstillet i overensstemmelse med Rådets direktiv af 19. februar 1973 omhandlende fælles fremgangsmåder for medlemslandenes lovgivninger om elektrisk udstyr til brug inden for bestemte spændingsværdier (73/23/EEC, ændret ved 2006/95/EEC og 2014/35/EU)).</p> <p>Særlige bestemmelser Stikkpropper og stikkontakter til husholdningsbrug o.l. – Bestemmelser for danske systemer. DS/IEC 60884-2 D1:2011, DS/IEC 60884-2-7:2011</p> <p>Lavspænding elektriske installationer - Del 7-713: Krav til særlige installationer eller steder – Møbler (Gælder kun fastmonteret systemer) DS/IEC 60364-7-713</p>	<p>The Low Voltage Directive (Manufactured according to the Council Directive of 19th February 1973 about mutual approach of the member states legislation upon Electrical equipment for use within certain voltage limits (73/23/EEC, changed at 2006/95/EEC and 2014/35/EU)).</p> <p>Special provisions Plugs and socket-outlets for household and similar purpose. IEC 60884-2-1:2011, IEC 60884-2-7:2011</p> <p>Low-voltage electrical installations - Part 7-713: Requirements for special installations or locations - Furniture (applies only to fixed systems) IEC 60364-7-713</p>	<p>The Low Voltage Directive (Produktene er produsert i samsvar med rådsdirektiv av 19. februar 1973 om felles tilnærming blant medlemsstatene om elektrisk utstyr til bruk innen bestemte spenningsgrenser verdier (73/23/EØF, endret ved 2006/95/EF og 2014/35/EU)).</p> <p>Spesielle bestemmelser Plugg og stikkontakter for husholdning og liknende formål. IEC 60884-2-1:2011, IEC 60884-2-7:2011, NEK 502:2006</p> <p>Lavspente elektriske installasjonen - Del 7-713: Krav om spesiell installasjon eller steder – Møbler (Gjelder kun faste systemer) IEC 60364-7-713</p>	<p>Lågspänningsdirektivet (Produkterna tillverkas i enlighet med rådets direktiv av den 19 februari 1973 om gemensamma strategier för medlemsstaternas lagstiftning om elektrisk utrustning avsedd för användning inom vissa spänningsvärden (73/23 / EEG, ändrat genom 2006/95 / EEG och 2014/35/EU)).</p> <p>Särskilda bestämmelser Stikkproppar och uttag för allmänbruk IEC 60884-2-1:2011, IEC 60884-2-7:2011</p> <p>Lågspänning elinstallasjon - Del 7-713: Krav på särskild installation eller platser – Möbler (Gäller endast fasta system) IEC 60364-7-713</p>

This Declaration of Conformity is valid for the following products

Blika A/S products:

GBF/S12, EBF/S12, GBF/S22, EBF/S22, GBF/S32, EBF/S32, GBF/S42, EBF/S42
 GBF/S13, EBF/S13, GBF/S23, EBF/S23, GBF/S33, EBF/S33, GBF/S43, EBF/S43
 GBF/S14, EBF/S14, GBF/S24, EBF/S24, GBF/S34, EBF/S34, GBF/S44, EBF/S44
 GBF/S18, EBF/S18, GBF/S28, EBF/S28, GBF/S38, EBF/S38
 GBF/S114, EBF/S114, GBF/S214, EBF/S214, GBF/S314, EBF/S314
 GBF/S110, EBF/S110, GBF/S210, EBF/S210, GBF/S310, EBF/S310
 PC14 Computer vogn

Date & Signature:

Blika A/S accepts no responsibility for possible errors and deficiencies in brochures, catalogues and other printed material.

01.11.2016 - CEO Jesper Svender

